



GT1B5B Can Slitting Machine




Major technical parameters:




Maximum thickness of sheet iron(mm)	0.14-0.5
Maximum width of sheet iron(mm)	1050-1300
Minimum width of sheet iron(mm)	38
Motor power (kw)	1.1-1.5
Size (mm)	(1470) 1720×1000×1100
Weight (kg)	1200-1400



Automatic Rolling Machine





Major technical parameters	
Rolling diameter(mm)	80-290
Can body height (mm)	85-500
Tinplate thickness (mm)	0.2-0.4
Rolling motor power (KW)	0.75
Raising motor power (KW)	1.5
Voltage (V)	380
Output capacity (pcs/min)	10-50
Size (mm)	2025×890×1550



Rear-feeding seam welder machine



I.Major technical parameters		
Model	GNWT-286S	GNWT-180S
Linear rate of welding	5-30m/min	
Production capability	10-20mm	8-15mm
Can body diameter	D50-400mm	D52-180mm
Can body hight	190-420mm	
Applicable material	Tinplate Steel-based	Tinplate Steel-based
Applicable material thickness	0.22-0.42mm	0.18-0.42mm
Seam welding landing	0.8mm 1.0mm 1.2mm	0.6mm 0.8mm 1.2mm
Seam point distance	0.5-0.8mm	
Applicable copper wire diameter	Φ1.38mm Φ1.5mm	Φ1.38mm
Cooling water	Temperature:20°C Pressure:0.4-0.5Mpa Discharge:7L/min	
Total power	18KVA	
Power supply	380V±5% 50Hz	
Machine dimension	1200*110*1800mm	
Gross weight	1200KG	




3F3Y Rectangle forming machine



The major parameters

Output capacity(cmp)	20-30
Diameter range (L)	1-5
Motor (Kw)	5.5
Revolution speed of motor(r/min)	1440
Air pressure(Mpa)	4-6
Weight (kg)	600
Dimensions (mm)	1300×700×1200





3FB4rectangle flanging machine



Major technical parameters


Revolution speed of main axis (r/min)	90
Capacity (cans/min)	25-30
Thickness of tinplate(mm)	≤0.4
Size (mm)	1040×1050×730
Weight (kg)	680



GT4A28Q Pneumatic tin can sealer



Major technical parameters	
Production capacity (cpm)	12-16
Diagonal line(mm)	50-330
Height (mm)	50-400
Thickness of tinplate(mm)	≤0.4
Air pressure (mpa)	0.4-0.8
Power (kw)	2.2
speed (rpm)	940
Size (mm)	980×580×1900
Weight (kg)	800



whatsapp: +86-13707928084

Email: jjyixin2020@gmail.com

Address: Binjiang Avenue (Yanjiang Industrial Base), Jiujiang City, Jiangxi Province, China