



## GT4A28Q Pneumatic tin can sealer



Major technical parameters	
Production capacity (cpm)	12-16
Diagonal line(mm)	50-330
Height (mm)	50-400
Thickness of tinplate(mm)	≤0.4
Air pressure (mpa)	0.4-0.8
Power (kw)	2.2
speed (rpm)	940
Size (mm)	980×580×1900
Weight (kg)	800





## GT4A39 Pneumatic round can seamer



### Major technical parameters



Production capacity (cpm)	20-30
Diameter (mm)	50-300
Height (mm)	50-400
Air pressure (mpa)	0.3-0.7
Thickness of tinplate(mm)	≤0.4
Power (kw)	2.2
Size (mm)	980×580×1900
Weight (kg)	800



## GT4A68Q Pneumatic round can seamer



Major technical parameters	
Production capacity (cpm)	25-35
Diameter (mm)	50-180
Height (mm)	50-300
Thickness of tinplate(mm)	≤0.4
Power (kw)	1.5
speed (rpm)	1400
Size (mm)	720×520×1760
Weight (kg)	450



whatsapp: +86-13707928084

Email: jjyxin2020@gmail.com

Address: Binjiang Avenue (Yanjiang Industrial Base), Jiujiang City, Jiangxi Province, China